Review Article

Green tea in dentistry

Shaik Ali Hassan^{1,*}, Sumit Bhateja², Geetika Arora³, Francis Prathyusha¹¹Dept. of Dental, Dr. Francis Maxillofacial and Dental Clinic, India²Manav Rachna Dental College, Faridabad, Haryana, India³Inderprastha Dental College & Hospital, Ghaziabad, Uttar Pradesh, India

ARTICLE INFO

Article history:

Received 28-05-2020

Accepted 02-06-2020

Available online 05-08-2020

Keywords:

Green tea

Antioxidants

Dental caries

Carotenoids

Epigallocatechin

ABSTRACT

Green tea and its medical advantages assume a job in oral cavity. High atomic weight polyphenols are separated from green tea have cell reinforcement, antibacterial cariostatic, antitumor exercises. It also helps to treat dental caries, periodontal diseases, and also for treating cancers.

© 2020 Published by Innovative Publication. This is an open access article under the CC BY-NC license (<https://creativecommons.org/licenses/by-nc/4.0/>)

1. Introduction

Green tea is one of the major beverages on the planet, and it has got an impressive consideration as a result of a variety of valuable impact on human well-being deductive show. A few epidemiologic and trial perceptions have affirmed that there is a cozy connection between green tea utilization and the avoidance of both malignancy advancement and cardiovascular disease.¹ The impact has been for the most part be credited to the most dominant polyphenols contained in green tea, epigallocatechin gallate be certain. Epigallocatechin gallate is known to initiate apoptosis in different kinds of tumor cells, however, it has almost no impact on ordinary cells.^{2,3} Recently, it has been accounted for that epigallocatechin gallate could actuate the apoptotic cell demise of osteoclasts.⁴ Thus, it can forestall alveolar bone resorption by repressing osteoclast endurance through the caspase-interceded apoptosis and can be valuable to periodontal wellbeing. It started in China and become a worldwide due to monetary reasons and its improvement. In

China green tea is used as a cure for brain pain and sadness. When used as a green tea beverage worldwide⁵ welfare. Green tea is derived from the tea plant by maceration and drying warmth. It is set from unfermented leaves and contains a high convergence amazing cancer prevention agent called polyphenols.⁶

1.1. Components of green tea

A dynamic mix of green tea are polyphenols called catechins meeting. Four catechins present in green tea are Epicatechin gallate (ECG), epicatechin, epigallocatechin, and epigallocatechin gallate (EGCG).^{7–9} Green tea also contains carotenoids, tocopherols, ascorbic corrosive, and minerals like chromium, magnesium, selenium, and zinc. Green tea also contains caffeine, although half of that found in espresso. The size of the caffeine in green tea will be different as indicated by the size of the tea used, the period, and if the leaves are implanted individual drinks first or the second implantation. Most of the caffeine in green tea is separated into the water to run first through infused tea. utilization of caffeine security remains a significant subject

* Corresponding author.

E-mail address: alishaikhassan@gmail.com (S. A. Hassan).

of discussion in the writing of exploration. No investigations have shown problems with caffeine use is below 75 mg per day. Most checks have shown the impact of the possible harmful use of caffeine in receipt of more than 200 mg. Moreover, it seems, by all accounts, be a big contrast in individual affectability to caffeine.^{10–12} The two-part assist in green tea, such as catechins and L-theanine amino corrosive, reduces the effect of its caffeine. At the point when the prepared green tea, caffeine joins the catechins in the water, reducing the contrast and espresso caffeine action or cocoa. Likewise, L-theanine, which is only found in plants and some mushroom tea, unauthorized creation of alpha waves animates the mind, relaxes the body while promoting awareness of the condition of loosening.

1.2. Mechanism of action

The endoplasmic reticulum and mitochondrial oxygen discharge. This will change more oxygen into hydrogen peroxide, which is thus responsive discharge particle oxygen species. It receives oxygen species that can be harmful particles rapidly from DNA, RNA, protein oxidizes (compound, histones), oxidize lipids and cell damage can also propose himself. Acceptance of green tea can stop all these degenerative changes responsive particles by inhibiting the activity of oxygen species.

1.3. Green tea in general health

1.3.1. Weight loss

Green tea forestalls norepinephrine solution along these lines led to the climb indigestion. It may also hold adipocyte hypertrophy and hyperplasia and, potentially, inhibiting gastrointestinal catalyst associated with the supplement take-up; instruments still cannot be described for this procedure. It helps to lose 7 ounces per year. A 12-week study conducted including two men meeting with a comparable record of weight and abdominal perimeter: The gathering ingested tea containing 690 mg catechins, while the subsequent collection got only 22 mg catechins. Normal weight loss in group 1 was 2.4 kg, although in the second meeting was only 1.3 kg.^{13,14}

1.3.2. Immunity

Polyphenols and flavonoids found in green tea help support our lasting framework make us well-being more grounded in the fight against contamination. Human $\gamma\delta$ T cell innate immune intervention for microorganisms by way of the T cell receptor recognition of antigen-experienced subordinates with examples of sub-atomic moderated. These nonpeptide alkylamine antigen divided by tumor cells, microscopic organisms, parasites and growth, and further with tasty plant items, for example, tea, apples, mushrooms, and wine. Preparing $\gamma\delta$ T cells with antigen alkylamine in vitro results in the memory response against

these antigens. As an additional result of the reaction to prepare the non-memory for all the microscopic organisms and lipopolysaccharide, played by debit IL-12-subordinate of IFN- γ by $\gamma\delta$ T cells and $\gamma\delta$ T cell expansion. Drinking tea containing 1-theanine, which precedes from ethylamine nonpeptide antigen, the T cells are ready outskirts of blood $\gamma\delta$ to mediate memory reactions on re-presentation to ethylamine and to emit light of IFN- γ in microorganisms. This one of a kind blends of intrinsically safe and immunological memory response showed that $\gamma\delta$ T cells can work as an extension between natural and acquired resistance.¹⁵

1.3.3. Cancer

EGCG has been appeared to hinder the angiogenesis of tumor cells along these lines not permitting them to get malignant. This is accomplished by halting the creation of angiogenic mixes in the tumor cells. Ahmad et al. revealed that green tea polyphenols tweak NF- κ B in a few malignancy cell lines, rendering them defenseless to apoptosis.¹⁶ Green tea is utilized in malignant growth anticipation as it stops angiogenesis and stops the bloodstream from the tumor. Green tea-prompted apoptosis builds ordinary cell development while advancing modified cell death.^{17,18} Epidemiological examinations recommend that standard utilization of tea lessens the danger of cancer¹⁹ on the side of this conflict, tea, or, all the more explicitly, the polyphenol division, has been accounted for to diminish the occurrence of cancer-causing agent incited malignancies in creature models.²⁰ One proposed system of activity is the finding that polyphenols initiate apoptosis more promptly in disease cells than in their normal partners.

1.4. Green tea on dental

1.4.1. Anti caries work

Dental caries is a multifactorial condition which is forestalled by cleaning the teeth. Green tea extricates in dentifrices are utilized as a grating with solid antibacterial action^{8,9}. Green tea too shows adequacy in charge of dental plaque. The parts of green tea have an impact on caries and hinder the expansion of *S. mutans* and *S. Sobrinus*. Polypeptides reduce acid activity. Catechins present in green tea forestall the connection of pathogenic living beings over the surfaces of teeth.²¹

1.4.2. Antioxidant

Green tea is a cell reinforcement. They ensure the cells against the harming impacts of peroxy radicals, hydroxyl radicals, and peroxynitrite. Irregularity among cell reinforcements and oxygen species prompts cell harm. Polyphenols in green tea is delegated six catechin mixes. Green tea brings down the danger of coronary vein illness by lessening the oxidation of low thickness lipoprotein furthermore, brings about low rate of malignant growth. In

oral hole, cigarette smoking causes harm of cell DNA.

1.4.3. Halitosis

Halitosis is caused for the most part by unpredictable sulphur mixes (VSCs, for example, H₂S and CH₃SH delivered in the oral depression. Oral microorganisms corrupt proteinaceous substrates to cysteine and methionine, which are then changed over to VSCs. Since tea polyphenols have been appeared to have antimicrobial and antiperspirant impacts, specialists explored whether green tea powder lessens VSCs in mouth air, and contrasted its adequacy and that of different nourishments that are professed to control halitosis. Following overseeing the items, green tea indicated the biggest decrease in centralization of both H₂S and CH₃SH gases, particularly CH₃SH, which likewise exhibited a superior relationship with smell quality than H₂S; notwithstanding, no decrease was seen at 1, 2 and 3 h after organization. In an in vitro investigation, toothpaste, mints and green tea unequivocally hindered VSCs creation in a salivation rot framework, however biting gum and parsley-seed oil item couldn't repress spit festering.²²

1.4.4. Periodontal problems

Green tea catechin restrain the development of *P. gingivalis*, *Prevotella intermedia* and *Prevotella nigrescens* and adherence of *P. gingivalis* on to human buccal epithelial cells.²³ Green tea catechins with steric structures of 3-galloyl outspread, EGCG, ECg and galocatechin gallate, which are significant tea polyphenols, restrain creation of poisonous end metabolites of *P. gingivalis*. An examination indicated that green tea catechin, EGCG and ECg restrain the action of *P. gingivalis*-inferred collagenase.²⁴ Green tea catechin demonstrated a bactericidal impact against dark pigmented, Gram-negative anaerobic poles, *Porphyromonas gingivalis* and *Prevotella* species, and the joined utilization of mechanical treatment and the use of green tea catechin utilizing a moderate discharge nearby conveyance framework was powerful in improving the periodontal status. The peptidase exercises in the gingival liquid were kept up at lower levels during the test time frame in the test locales, while it arrived at 70% of that at standard in the fake treatment sites.²⁵ Alveolar bone resorption is a trademark highlight of periodontal sickness and includes evacuation of both the mineral and the natural constituents of the bone framework, a procedure chiefly did by multinucleated osteoclast cells or grid metalloproteinases (MMPs). EGCG hindered osteoclast development in a coculture of essential osteoclastic cells and bone marrow cells, and it prompted apoptotic cell passing of osteoclast-like multinucleated cells in a portion subordinate way therefore recommending the job of green tea in the avoidance of bone resorption.

1.5. How to prepare the green tea for usage

Green tea ought to be taken care of carefully, similarly as you would new green verdant vegetables. Spring water is

the perfect decision for preparing tea, trailed by separated water. Refined water ought to never be utilized; the blend it produces will be level as the minerals expelled from it are fundamental to drawing out the tea's flavor. Utilize 3 g of tea to 5 ounces of water if preparing tea in a little tea kettle; 4 g of tea to 8 ounces of water for different techniques.

2. Conclusion

Green tea helps the body's provocative reaction to periodontal microscopic organisms, green tea may really help advance periodontal wellbeing and avoid further ailment. Constant utilization of green tea catechin every day might be a helpful and down to earth strategy for the anticipation of periodontal sickness, however ought to be completed with alert to dodge reactions. Along these lines, let us begin tasting green tea and become more advantageous.

3. Source of Funding

None.

4. Conflict of Interest

None.

References

1. World Health Organization, "World Health Organization; 2014.
2. U S Department of Health and Human Services Centers for Disease Control and Prevention. Antibiotic resistance threats in the United States; 2013.
3. Stone PW. Economic burden of healthcare-associated infections: An American perspective. *Exp Rev Pharmacoeconomics Outcomes Res.* 2009;9(5):417–22.
4. Smith R, Coast J. The true cost of antimicrobial resistance. *BMJ.* 2013;346.
5. Hayat K, Iqbal H, Malik U, Bilal U, Mushtaq S. Tea and Its Consumption: Benefits and Risks. *Crit Rev Food Sci Nutr.* 2015;55(7):939–54.
6. Crew KD, Ho KA, Brown P. Effects of a green tea extract, Polyphenon E, on systemic biomarkers of growth factor signalling in women with hormone receptor-negative breast cancer. *J Human Nutr Dietetics.* 2015;28(3):272–82.
7. Jigisha A, Nishant R, Navin K. Green tea: a magical herb with miraculous outcomes. *Int Res J Pharm.* 2012;3(5):139–48.
8. Ashihara H, Deng WW, Mullen W, Crozier A. Distribution and biosynthesis of flavan-3-ols in *Camellia sinensis* seedlings and expression of genes encoding biosynthetic enzymes. *Phytochemistry.* 2010;71(5-6):559–66.
9. Atomssa T, Cholap AV. Characterization and determination of catechins in green tea leaves using UV-visible spectrometer. *J Eng Technol Res.* 2015;7(1):22–31.
10. Clarke KA, Dew TP, Watson REB. High performance liquid chromatography tandem mass spectrometry dual extraction method for identification of green tea catechin metabolites excreted in human urine. *J Chromatography B.* 2014;972:29–37.
11. Saha S, Hollands W, Needs PW, Ostertag LM, de Roos B, Duthie GG, et al. Human O-sulfated metabolites of (–)-epicatechin and methyl-(–)-epicatechin are poor substrates for commercial aryl-sulfatases: Implications for studies concerned with quantifying epicatechin bioavailability. *Pharmacol Res.* 2012;65(6):592–602.

12. Ensminger AH, Ensminger ME, Kondale JE, Robson JR. Foods and nutrition encyclopaedia. Clovis, California: Pegus Press; 1983.
13. Rasam P. Go green for healthy teeth and gums. *Student Dig.* 2009;2:8–9.
14. Nagao T, Komine Y, Soga S, Meguro S, Hase T, Tanaka Y, et al. Ingestion of a tea rich in catechins leads to a reduction in body fat and malondialdehyde-modified LDL in men. *Am J Clin Nutr.* 2005;81(1):122–9.
15. Kamath AB, Wang L, Das H, Li L, Reinhold VN, Bukowski JF. Antigens in tea-beverage prime human V 2V 2 T cells in vitro and in vivo for memory and nonmemory antibacterial cytokine responses. *Proc National Acad Sci.* 2003;100(10):6009–14.
16. Ahmad N, Gupta S, Mukhtar H. Green Tea Polyphenol Epigallocatechin-3-Gallate Differentially Modulates Nuclear Factor κ B in Cancer Cells versus Normal Cells. *Arch Biochem Biophysics.* 2000;376(2):338–46.
17. Azam S, Hadi N, Khan NU, Hadi SM. Prooxidant property of green tea polyphenols epicatechin and epigallocatechin-3-gallate: implications for anticancer properties. *Toxicol Vitro.* 2004;18(5):555–61.
18. Chen D, Daniel KG, Kuhn DJ, Kazi A, Bhuiyan M, Li L, et al. Green tea and tea polyphenols in cancer prevention. *Front Biosci.* 2004;9:2618–31.
19. Katiyar SK, Mukhtar H. Tea consumption and cancer. *World Rev Nutr Diet.* 1996;79:154–84.
20. Stoner GD, Mukhtar H. Polyphenols as cancer chemopreventive agents. *J Cell Biochem.* 1995;59(S22):169–80.
21. Yu H, Oho T, Tagomori S, Morioka T. Anticariogenic effects of green tea. *Fukuoka Igaku Zasshi.* 1992;83:174–80.
22. Lodhia P, Yaegaki K, Khakbaznejad A, Imai T, Sato T, Tanaka T, et al. Effect of Green Tea on Volatile Sulfur Compounds in Mouth Air. *J Nutr Sci Vitaminology.* 2008;54(1):89–94.
23. Sakanaka S, Aizawa M, Kim M, Yamamoto T. Inhibitory Effects of Green Tea Polyphenols on Growth and Cellular Adherence of an Oral Bacterium, Porphyromonas gingivalis. *Biosci Biotech Biochem.* 1996;60(5):745–9.
24. Sakanaka S, Okada Y. Inhibitory Effects of Green Tea Polyphenols on the Production of a Virulence Factor of the Periodontal-Disease-Causing Anaerobic Bacterium Porphyromonas gingivalis. *J Agric Food Chem.* 2004;52(6):1688–92.
25. Hirasawa M, Takada K, Makimura M, Otake S. Improvement of periodontal status by green tea catechin using a local delivery system: A clinical pilot study. *J Periodont Res.* 2002;37(6):433–8.

Author biography

Shaik Ali Hassan Dental Surgeon

Sumit Bhateja HOD

Geetika Arora Reader

Francis Prathyusha BDS, MDS

Cite this article: Hassan SA, Bhateja S, Arora G, Prathyusha F. **Green tea in dentistry.** *IP J Nutr Metab Health Sci* 2020;3(2):41–44.